



## Kitsap County Department of Community Development

May 17, 2021

Russell & Tonia Bomhoff  
3255 NE Lincoln Rd  
Poulsbo, WA 98370

RE: Large Lot Subdivision #422 (Bomhoff)  
Permit No. 20-05102  
Tax Account No. 132601-1-021-2003

Dear Applicant:

This is to inform you that the above-referenced large lot subdivision has been granted **preliminary** approval.

This decision is in compliance with Kitsap County Code 21.04 Land Use and Development Procedures. All applicable criteria have been met for preliminary large lot subdivision in accordance with Kitsap County Code Title 16.52 large lot subdivision.

The Department has further determined that the land segregation as it is presented in the preliminary large lot subdivision, received 11/23/2020 by the Department of Community Development, conforms or will conform subject to conditions set forth in this letter, to the following:

1. Kitsap County Code Title 17 Zoning;
2. Kitsap County Code Title 12 Storm Water Drainage;
3. Kitsap County Comprehensive Plan and subarea plans;
4. Kitsap County Critical Areas Ordinance;
5. And all other elements of the Kitsap County Code that pertain to this land segregation.

Approval is subject to the following conditions:

### **LAND USE**

1. Adhere to all elements and requirements set forth in Kitsap County Code 16.52.
2. The following condition shall be added to the face of the final large lot subdivision: Building permits issued on a lot in this large lot subdivision may be subject to impact fees pursuant to Kitsap County Code.
3. The names of the roads in this land segregation shall be approved by Community Development prior to final subdivision approval.
4. All required permits shall be obtained prior to commencement of land clearing, construction and/or occupancy.

5. The decision set forth herein is based upon representations made and exhibits contained in the project application (20-05102). Any change(s) or deviation(s) in such plans, proposals, or conditions of approval imposed shall be subject to further review and approval of the County and potentially the Hearing Examiner.
6. The authorization granted herein is subject to all applicable federal, state, and local laws, regulations, and ordinances. Compliance with such laws, regulations, and ordinances is a condition to the approvals granted and is a continuing requirement of such approvals. By accepting this/these approvals, the applicant represents that the development and activities allowed will comply with such laws, regulations, and ordinances. If, during the term of the approval granted, the development and activities permitted do not comply with such laws, regulations, or ordinances, the applicant agrees to promptly bring such development or activities into compliance.
7. Per KCC 16.52.020.C.10, a 25- foot native vegetation shall be retained along the perimeter of the site. Native Plantings shall be installed within the 25-foot buffer in areas void of vegetation as depicted on the Approved Landscape Plan. These Plantings shall be installed prior to Final Plat Approval.

### **SURVEY**

1. At the time of submittal of the final large lot subdivision a title certificate, current to within 30 days, is required. Please note or delineate on the face of the Final large lot subdivision all pertinent special exception items in Schedule "B" of the title certificate.
2. A Final Short/Large Lot/Subdivision Plat shall be prepared by a licensed Land Surveyor in compliance with KCC Title 16.

### **STORMWATER**

1. Building permits submitted for development of lots within this Large Lot Subdivision shall include construction plans and profiles for all roads, driveways, storm drainage facilities and appurtenances. No construction shall be started prior to said plan acceptance.
2. Stormwater quantity control, quality treatment, and erosion and sedimentation control, as required for the lot development, shall be designed in accordance with **Kitsap County Code Title 12** effective at the time the Preliminary Large Lot Subdivision application was deemed complete, November 24, 2020. If lot development meets the thresholds for engineered drainage design, the submittal documents shall be prepared by a civil engineer licensed in the State of Washington. The fees and submittal requirements shall be in accordance with Kitsap County Ordinances in effect at the time of Building Permit Application.
3. The available impervious area for each lot shall be determined by dividing the allowable impervious area between the lots created. Information shall be provided in a table as shown below.

Total Site Area	15.9 acres (692,604 square feet)
Allowable Impervious Area	34,630 square feet (5% of total parcel)
Available Impervious Area, Lot 1	
Available Impervious Area, Lot 2	

4. The following condition shall be added to the face of the Final Large Lot Plat: If any proposed impervious area exceeds the allowable square footage as designated per the table, then an engineered Site Development Activity Permit (SDAP) will be required for that lot.
5. The following condition shall be added to the face of the Final Large Lot Plat: At the time of building permit application and/or any additional road construction or site work, the property owner shall comply with Kitsap County Code Title 12 effective at the time the Preliminary Large Lot Subdivision Application was deemed complete, November 24, 2020.
6. The following condition shall be added to the face of the Final Large Lot Plat: Building permits submitted for any lot within this plat shall include information regarding soil amendment; soil amendment is required for all disturbed areas not covered by hard surface
7. If the project proposal is modified from that shown on the submitted site plan accepted for review November 17, 2020, Development Services and Engineering will require additional review and potentially new conditions

### **TRAFFIC AND ROADS**

1. Submit an Application for Concurrency Test (KCPW Form 1601) as required by Chapter 20.04.030, Transportation Concurrency, of the Kitsap County Code. The KCPW 1601 form reserves road capacity for the project.
2. All rights of access for adjoining properties currently in existence shall be preserved and documented on the face of the Final Large Lot Plat. Any amendment to the existing easement rights of adjoining property owners shall be properly executed and recorded prior to recording the Final Large Lot Plat.
3. The following condition shall be added to the face of the Final Large Lot Plat: Access for Lot 1 is limited to the access easement intersecting NE Lincoln Road; access for Lot 2 is limited to the access easement intersecting Noll Road NE.
4. Any work within the County right-of-way shall require a Public Works permit and possibly a maintenance or performance bond. This application to perform work in the right-of-way shall be submitted as part of the building permit. The need for and scope of bonding will be determined at that time.

### **FIRE MARSHAL**

1. A 20- foot unobstructed access road is required for dwellings here and after constructed on lots created by this land division. IFC 503 Amended by Kitsap County Code.

2. If fire flow is not available, please add the following note to the face of the plat:  
"Automatic fire sprinklers, as approved by the Kitsap County Fire Marshal, shall be installed throughout homes here and after constructed on lots created by this land division".

**HEALTH DISTRICT**

1. KPHD is in favor of the proposal. The proposed well location on proposed Lot 2 has not been reviewed. A Building Site Application of Well Site Inspection would need to be submitted for the approval of the well site location.

Preliminary approval of this large lot subdivision will automatically expire five (5) years from the date of this letter. However, upon written request to the Department of Community Development by the original applicant and the current owner(s) of the subject property, at least thirty (30) days prior to expiration, a six (6) month extension may be granted.

Preparation of the final large lot subdivision shall be done in accordance with Kitsap County Code 16.52. All applicable conditions of preliminary approval must be addressed with the submittal of final subdivision application. Submittals that do not address all conditions will be considered incomplete and returned without review. All of the above relevant conditions and any/all building setbacks and buffers established as conditions of approval must appear on the final large lot subdivision.

If you have any questions or comments regarding this letter, please feel free to contact **Peggy Bakalarski** for Survey matters; **Candy Vickery** for Stormwater and Traffic matters; **Colin Poff** for Land Use matters and Environmental matters; **Greg Gentile** for Fire Marshal matters; all of whom can be reached at (360) 337-5777. Please contact **Kerrie Yanda** for Health District matters at (360) 337-5285.

Sincerely,



5/17/2021

---

Peggy Bakalarski, Project Lead



05/17/2021

---

Samantha Long, Development Services and Engineering  
Supervisor

Cc: Surveyor – DC Surveying [tim@dcsurveyors.com](mailto:tim@dcsurveyors.com)  
Authorized Agent-BRBO [brian@uxbrian.com](mailto:brian@uxbrian.com)  
Interested parties of record – [Jeaneford@comcast.net](mailto:Jeaneford@comcast.net)

619 Division Street MS-36 Port Orchard, WA 98366-4682  
(360) 337-5777 | [www.kitsapgov.com/dcd](http://www.kitsapgov.com/dcd)